

Complicated Grief References 2011-2013—Adults

Complicated Grief Diagnosis

- ICD-11—PGD is likely to be included (see Maercker et al., 2013 under “Prolonged Grief Disorder” in the pages to follow)
- DSM 5— a grief related Adjustment Disorder is included in *DSM-5: Other Specified Trauma- and Stressor-Related Disorder* (309.89, example 5) (APA, 2013, p. 289). The disorder is additionally addressed under “Conditions for Further Study” (APA, 2013, pp. 789-792).

Contents of Reference List

Cognitive Issues
Coping
Cultural Issues
Death of a Child
Depression—bereavement related
Diagnosis/ Identification of Grief Disturbances
Differences in Types of Grief
Differences in Type of Griever
Flexibility
Personality
PGD
Risk Factors
Symptoms
Treatment
War or other Violent Deaths

For these reference groupings, see the 2010 list:

Associated Variables (in this list: see *Risk factors*; see *Coping*; see *Social or Religious Needs*; *Personality*; *Differences in Type of Griever*)
Anticipation of Death
Attachment
Avoidance
Cognitive Issues (e.g., Memory, Negative Cognitions, Misconceptions, Attentional Bias)
Coping Style
Creativity
Death of a Child
Groupings of Grievors that Influence Outcomes (in this list: *Differences in Type of Griever*)
Prior Adversities (e.g., Trauma, Loss)
Prior Psychiatric Disorder
Sense or Meaning Making
Social or Religious Support or Isolation
Traits and Resilience Factors
Waiting for Confirmation of Death
Grief with Varying Complicating Factors
Bereavement Related Depression
Describes More than One Type of Grief
Loss and Trauma
Posthumous Disillusionment
Prolonged Grief Disorder
Structure of CG
Treatment/Intervention

Complicated Grief References

2011-2013—Adults

Cognitive Issues (e.g., Memory, Negative Cognitions, Misconceptions, Attentional Bias)

Meyer, F., Zhang, B., Gao, X., & Prigerson, H. (2013). Associations between cognitive impairment in advanced cancer patients and psychiatric disorders in their caregivers. *Psychooncology*, 22(4), 952-5.

Coping

Burton, C., Yan, O., Pat-Horenczyk, O., Chan, I., Ho, S., & Bonanno, G. (2012). Coping flexibility and Complicated Grief: A comparison of American and Chinese samples. *Depression and Anxiety*, 29, 16–22.

Denckla, C., Mancini, A., Bornstein, R., & Bonanno, G. (2011). Adaptive and maladaptive dependency in bereavement: Distinguishing prolonged and resolved grief trajectories. *Personality and Individual Differences* 51, 1012–1017.

Greer, J., Traeger, L., Bemis, H., Solis, J., Hendriksen, E., Park, E., Pirl, W., Temel, J., Prigerson, H., & Safren, S. (2012). A pilot randomized controlled trial of brief cognitive-behavioral therapy for anxiety in patients with terminal cancer. *Oncologist*, 17(10), 1337-45.

Trevino, K., Maciejewski, P., Fasciano, K., Greer, J., Partridge, A., Kacel, E., Block, S., Prigerson H. (2012). Coping and psychological distress in young adults with advanced cancer. *J Support Oncol*. 10(3), 124-30.

Cultural Issues

Delalibera, M., Coelho, A., & Barbosa, A. (2012). Validation of prolonged grief disorder instrument for Portuguese population]. *Acta Med Port*, 24(6), 935-42. Epub Portuguese. PubMed PMID: 22713188.

Drenth, C., Herbst, A., & Strydom, H. (2013). Complicated Grief in the South African context: A Social Work perspective. *British Journal of Social Work*, 1–18. doi:10.1093/bjsw/bct025

Death of a Child

Depression—Bereavement Related

Jacobsen, J., Zhang, B., Block, S., Maciejewski, P., & Prigerson, H. (in press). Distinguishing symptoms of grief and depression in a cohort of advanced cancer patients.

Morina, N., Lersner, U., & Prigerson, H. (2011). War and Bereavement: Consequences for Mental and Physical Distress. *PLoS ONE* 6(7), e22140. doi:10.1371/journal.pone.0022140

Diagnosis/Identification of Grief Disturbances

Givens, J., Prigerson, H., Kiely, D., Shaffer, M., & Mitchell, S. (2011). Grief among family members of nursing home residents with advanced dementia. *Am J Geriatr Psychiatry*, 19(6), 543-50.

Guldin, M-B., O'Connor, M., Sokolowski, I., Jensen, A., & Vedsted, P. (2011). Identifying bereaved subjects at risk of complicated grief: Predictive value of questionnaire items in a cohort study. *BMC Palliative Care*, 10:9. Download from: <http://www.biomedcentral.com/1472-684X/10/9>

Shear, M., Simon, N., Wall, M., Zisook, S., Neimeyer, R., Duan, N., Reynolds, C., Lebowitz, B., Sung, S., Ghesquiere, A., Gorscak, B., Clayton, P., Ito, M., Nakajima, S., Konishi, T., Melhem, N., Meert, K., et al., (2011). Complicated grief and related bereavement issues for DSM-5. *Depress Anxiety*, 28(2), 103-17. doi: 10.1002/da.20780.

Differences in Types of Grief

Howarth, R. (2011). Concepts and Controversies in Grief and Loss. *Journal of Mental Health Counseling*, 33(1), 4-10.

Jordan, J. & McIntosh, J. (2011). Is suicide bereavement different? Perspectives from research and practice. In R. Neimeyer, D. Harris, H. Winokuer & G. Thornton (Eds.), *Grief and Bereavement in Contemporary Society: Bridging Research and Practice* (pp. 223-234). New York: Routledge.

Kacel, E., Gao, X., Prigerson, H. (2011). Understanding bereavement: What every oncology practitioner should know. *J Support Oncol*. 9(5), 172-80.

- Nader, K. & Salloum, A. (2014).
- Neimeyer, R. A., Harris, D., Winokur, H. & Thornton, G. (Eds.) (2011). *Grief and bereavement in contemporary society: Bridging research and practice*. New York: Routledge.
- Stroebe, M., Schut, H., & van den Bout, J., (Eds.) (2012). *Complicated grief: Scientific foundations for health care professionals*. New York: Routledge.

Differences in Type of Griever

- Denckla, C., Mancini, A., Bornstein, R., & Bonanno, G. (2011). Adaptive and maladaptive dependency in bereavement: Distinguishing prolonged and resolved grief trajectories. *Personality and Individual Differences* 51, 1012–1017.
- Galatzer-Levy, I. & Bonanno, G. (2012). Beyond normality in the study of bereavement: Heterogeneity in depression outcomes following loss in older adults. *Social Science & Medicine* 74, 1987-1994.

Flexibility (emotional or coping)

- Burton, C., Yan, O., Pat-Horenczyk, O., Chan, I., Ho, S., & Bonanno, G. (2012). Coping flexibility and Complicated Grief: A comparison of American and Chinese samples. *Depression and Anxiety*, 29, 16–22.
- Gupta, S. & Bonanno, G. (2011). Complicated Grief and deficits in emotional expressive flexibility. *Journal of Abnormal Psychology*, 120(3), 635–643.

Neurobiology

- O'Connor, M. & Arizmendi, B. (in press 2013). Neuropsychological correlates of Complicated Grief in older spousally bereaved adults. *The Journals of Gerontology Series B Psychological Sciences and Social Science*. DOI:10.1093/geronb/gbt025
- O'Connor, M., Shear, M., Fox, R., Skritskaya, N., Campbell, B., Ghesquiere, A., & Glickman, K. (2012). Catecholamine predictors of complicated grief treatment outcomes. *International Journal of Psychophysiology*, 88(3), 349-352. DOI:10.1016/j.ijpsycho.2012.09.014
- Ong, A., Fuller-Rowell, T., Bonanno, G., Almeida, D. (2011). Spousal loss predicts alterations in diurnal cortisol activity through prospective changes in positive emotion. *Health Psychology*, 30(2), 220–227.

Older Adults

- Miller, M. (2012). Complicated grief in late life. *Dialogues Clin Neurosci*, 14(2), 195-202.
- Newson, R., Boelen, P., Hek, K., Hofman, A., & Tiemeier, H. (2011). The prevalence and characteristics of complicated grief in older adults. *Journal of Affective Disorders* 132, 231-238.

Personality

- Denckla, C., Mancini, A., Bornstein, R., & Bonanno, G. (2011). Adaptive and maladaptive dependency in bereavement: Distinguishing prolonged and resolved grief trajectories.
- Ong, A., Fuller-Rowell, T., Bonanno, G., Almeida, D. (2011). Spousal loss predicts alterations in diurnal cortisol activity through prospective changes in positive emotion. *Health Psychology*, 30(2), 220–227.

Prolonged Grief Disorder

- Boelen, P., Keijsers, L., & van den Hout, M. (2012). The role of self-concept clarity in Prolonged Grief Disorder. *Journal of Nervous & Mental Disease*, 200, 56-62.
- Boelen, P. & Prigerson, H. (in press). Commentary on the inclusion of Persistent Complex Bereavement-Related Disorder in DSM-5. *Death Studies*.
- Lichtenthal WG, Nilsson M, Kissane DW, Breitbart W, Kacel E, Jones EC, Prigerson HG. (2011). Underutilization of mental health services among bereaved caregivers with prolonged grief disorder. *Psychiatr Serv*. 62(10), 1225-9.
- Maercker, A., Brewin, C., Bryant, R., Cloitre, M., Reed, G., van Ommeren, M., Humayun, A., Jones, L., Kagee, S., Llosa, A., Rousseau, C., Somasundaram, D., Souza, R., Suzuki, Y., Weissbecker, I., Wessely, W., First, M., & Saxena, S. (2013). Proposals for mental disorders specifically associated with stress in the International Classification of Diseases-11. *The*

Lancet. www.thelancet.com Published online April 11, 2013 [http://dx.doi.org/10.1016/S0140-6736\(12\)62191-6](http://dx.doi.org/10.1016/S0140-6736(12)62191-6)

- Newson, R., Boelen, P., Hek, K., Hofman, A., & Tiemeier, H. (2011). The prevalence and characteristics of complicated grief in older adults. *Journal of Affective Disorders* 132, 231-238.
- Rodríguez, V. S., Sánchez, C., Prigerson, H., Mesa, G., Rodríguez, V. M., Hortigüela, M., Marco, S., Barrientos, V., & Quintana, M. (2012). Prolonged grief disorder in the next of kin of adult patients who die during or after admission to intensive care. *Chest*. 141(6):1635-6.

Risk Factors

- Boelen, P. (2011). Personal goals and prolonged grief disorder symptoms among bereaved people. *Clinical Psychology & Psychotherapy*, 18, 439-444.
- Boelen, P. (in press). Variables mediating the linkage between loss-centrality and post-loss psychopathology. *Journal of Nervous and Mental Disease*.
- Boelen, P., de Keijser, J., van den Hout, M., & van den Bout, J. (2011). Factors Associated with Outcome of Cognitive-Behavioural Therapy for Complicated Grief: A Preliminary Study. *Clin. Psychol. Psychother.* 18, 284-291.
- Boelen, P., Keijsers, L., & van den Hout, M. (2012). Peritraumatic dissociation following loss: Latent structure and associations with psychopathology. *Journal of Nervous & Mental Disease*, 200, 362-364.
- Boelen, P., Keijsers, L., & van den Hout, M. (2012). The role of self-concept clarity in Prolonged Grief Disorder. *Journal of Nervous & Mental Disease*, 200, 56-62.
- Mancini, A. & Bonnano, G. (2012). The persistence of attachment: Complicated grief, threat, and reaction times to the deceased's name. *Journal of Affective Disorders*, 139, 256-263.
- Mancini, A., Prati, G., & Black, S. (2011). Self-worth mediates the effects of violent loss on PTSD symptoms. *J Trauma Stress*, 24(1), 116-20. doi: 10.1002/jts.20597
- Mancini, A., Prati, G., & Bonanno, G. (2011). Do shattered worldviews lead to complicated grief? Prospective and longitudinal analyses. *Journal of Social and Clinical Psychology*, 30, 184-215.
- Nakajima, S., Ito, M., Shirai, A., & Konishi, T. (2012). Brief Report: Complicated grief in those bereaved by violent death: the effects of post-traumatic stress disorder on complicated grief. *Dialogues Clin Neurosci*, 14(2), 210-4.
- Stroebe, M., Schut, H., & van den Bout, J., (Eds.) (2012). *Complicated grief: Scientific foundations for health care professionals*. New York: Routledge.
- Wagner, B., Keller, V., Knaevelsrud, C., & Maercker, A. (2012). Social acknowledgement as a predictor of post-traumatic stress and complicated grief after witnessing assisted suicide. *Int J Soc Psychiatry*, 5, 381-385.

Sibling or Close Friend Loss

- Mash, H., Fullerton, C., & Ursano, R. (in press, 2013). Complicated Grief and bereavement in young adults following close friend or sibling loss. *Depression and Anxiety*.

Social or Religious Needs (e.g., Support vs. Isolation)

- Trevino, K., Fasciano, K., Block, S., & Prigerson, H. (2012). Correlates of social support in young adults with advanced cancer. *Support Care Cancer*, 21(2), 421-9. DOI 10.1007/s00520-012-1536
- Wagner, B., Keller, V., Knaevelsrud, C., & Maercker, A. (2012). Social acknowledgement as a predictor of post-traumatic stress and complicated grief after witnessing assisted suicide. *Int J Soc Psychiatry*, 5, 381-385.

Suicide

- Tal Young, I., Iglewicz, A., Glorioso, D., Lanouette, N., Seay, K., Ilapakurti, M., & Zisook, S. (2012). Suicide bereavement and complicated grief. *Dialogues Clin Neurosci*, 14(2), 177-86.

Symptoms of Grief (e.g., compared to Other Disorders; tested post-death traits)

- Bullock, A. & Bonnano, G. (2013). Attentional bias and Complicated Grief: A primed dot-probe task with emotional faces. *Journal of Experimental*, 4(2), 194-207. DOI:10.5127/jep.020411
- Jacobsen, J., Zhang, B., Block, S., Maciejewski, P., & Prigerson, H. (in press). Distinguishing symptoms of grief and depression in a cohort of advanced cancer patients.

- Ong, A., Fuller-Rowell, T., Bonanno, G., Almeida, D. (2011). Spousal loss predicts alterations in diurnal cortisol activity through prospective changes in positive emotion. *Health Psychology, 30*(2), 220–227.
- Marques, L., Bui, E., LeBlanc, N., Porter, E., Robinaugh, D., Dryman, M., Nadal-Vicens, M., Worthington, J., & Simon, N. (in press, 2013). Complicated Grief symptoms in anxiety disorders: Prevalence and associated impairment. *Depression and Anxiety*.

Treatment/Intervention

- Boelen, P., de Keijser, J., van den Hout, M., & van den Bout, J. (2011). Factors Associated with Outcome of Cognitive–Behavioural Therapy for Complicated Grief: A Preliminary Study. *Clin. Psychol. Psychother. 18*, 284–291.
- Drenth, C., Herbst, A., & Strydom, H. (2010?). A complicated grief intervention model. *Journal of Interdisciplinary Health Sciences, 15*(1), 1-8.
- Greer, J., Traeger, L., Bemis, H., Solis, J., Hendriksen, E., Park, E., Pirl, W., Temel, J., Prigerson, H., & Safren, S. (2012). A pilot randomized controlled trial of brief cognitive-behavioral therapy for anxiety in patients with terminal cancer. *Oncologist, 17*(10), 1337-45.
- Guldin, M-B, Vedsted, P, Jensen, A., Olesen, F., & Zachariae, R. (2012). Bereavement care in general practice: A cluster-randomized clinical trial. *Family Practice*, doi:10.1093/fampra/cms053
Downloaded from
<http://fampra.oxfordjournals.org/content/early/2012/09/07/fampra.cms053.full.pdf+html>
- Jordan, J. (2012). Guided imaginal conversations with the deceased. In R. A. Neimeyer (Ed.), *Techniques of Grief Therapy: Creative Practices for Counseling the Bereaved*. (pp. 262-265). New York: Routledge.
- Jordan, J. (2009). After suicide: Clinical work with survivors. *Grief Matters: The Australian Journal of Grief and Bereavement, 12*(1), 4-9.
- Mancini, A., Griffin, P., & Bonanno, G. (2012). Recent trends in the treatment of prolonged grief. *Curr Opin Psychiatry, 25*(1), 46-51.
- Neimeyer, R. (Ed.) (2012). *Techniques of grief therapy: Creative practices for counseling the bereaved*. New York: Routledge.
- Reynolds, C., Stack, J., & Houle, J. (2011). Healing Emotions After Loss (HEAL): Diagnosis and treatment of Complicated Grief. www.UPMCPPhysicianResources.com/Psychiatry
- Rosner, R., Pfoh, G., & Kotoucova, M. (2011). Effectiveness of an inpatient group therapy for comorbid complicated grief disorder. *Psychotherapy Research, 21*(2), 210-218. DOI: 10.3402/ejpt.v2i0.7995
- Rynearson, E. (2012). Invoking an alliance with the deceased after violent death. In Robert Neimeyer (Ed.), *Techniques of Grief Therapy* (pp. 91-94). New York: Routledge.
- Rynearson, E. (2012). The narrative dynamics of grief after homicide. *Omega, 65*(3), 239-249.
- Rynearson, E. & Salloum, A. (2011). Restorative retelling: Revising the narrative of violent death. In: *Grief and Bereavement in Contemporary Society Bridging Research and Practice* (pp. 177-188). New York: Routledge.
- Rynearson, E., Stroebe, M., & Schut, H. (2012). Complicated Grief after Violent Death: Identification and Intervention, In: *Complicated Grief: Scientific Foundations for Health Care Professionals* (pp. 278-292). New York: Routledge.
- Simon, N. (2013). Treating Complicated Grief. *JAMA, 310*(4), 416-423. doi:10.1001/jama.2013.8614.
- Stroebe, M., Schut, H., & van den Bout, J., (Eds.) (2012). *Complicated grief: Scientific foundations for health care professionals*. New York: Routledge.
- Wittouck C., Van Autreve, S., De Jaegere, E., Protzky, G., & Van Heeringen, K. (2011). The prevention and treatment of Complicated Grief: A meta-analysis. *Clinical Psychology Review, 31*(1), 69–78.

Violent Death or War Bereavement

- Kristensen, P., Weisaeth, L., & Heir, T. (2012). Bereavement and mental health after sudden and violent losses: A review. *Psychiatry, 75*(1), 76-97. doi: 10.1521/psyc.2012.75.1.76.
- Morina, N., Lersner, U., & Prigerson, H. (2011). War and Bereavement: Consequences for Mental and Physical Distress. *PLoS ONE 6*(7), e22140. doi:10.1371/journal.pone.0022140
- Nakajima, S., Ito, M., Shirai, A., & Konishi, T. (2012). Brief Report: Complicated grief in those

bereaved by violent death: the effects of post-traumatic stress disorder on complicated grief.
Dialogues Clin Neurosci, 14(2), 210-4.